

Receiving Report

Date: B-5-28

Batch No: 125804

Supplier: Castlemetals

Dart P/O: 19548

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☒ No ☐
 Receipt: Cash ☐ Cr ☐

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection SAS N/A ☒
 Work Order 16 13/05/28 N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments

Initials of receiver (if shipment OK) Level 12 SP

Production/Admin: B-5-28
 Date
 Received/Costing
 Initial SP

Location

All amounts are calculated in domestic currency.

All Vendors PO ID PO19548 Receipt Dates from 5/28/20

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor/DV Vendor Name											
PO19548	1		VC-MET001	Metaux Castle	4/22/2013	5/28/2013	276.0000	\$2.41	0.0000	0	\$665.72
CAD.	No		304 BAR .250 x .500 f m2 5804	f	500.0000	DESJ02		\$665.72	0.0000	0	
Total Received Quantity: 276.0000											
Total Qty to Inspect (PO U/M): 0.0000											
Total Reject Quantity: 0.0000											
Total Receipt Value: \$665.71											
Total Balance Due Quantity: 0.0000											



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Shipment No: 1762402

Ship From: A. M. Castle & Co. MONTREAL - CASTLE METALS 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN	Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA
Date Shipped 24-MAY-2013	F.O.B. ORIGIN	Freight Terms Prepaid	Carrier MANITOULIN	BOL No 1762402-2

Shipment Details	Final Destination Branch - MON
-------------------------	---------------------------------------

Order No 2808456	Line No 1	Item No 4969	Description 0.2500.0.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156 .0000 SPECIFICATIONS: ASTM A276				
Purchase Order No PO19548	Part Number YOUR ITEM NUMBER: M304B0.250X0.500	Ordered Qty 500.00 FT	Invoice Qty 276.0000 FT				
Details							
Delivery No. 118610178	Mill VALBRUNA CORPORATION	Heat Number 425382	Mech Id 23	PCS	Width (IN)	Length (IN) 144.0000	Shipped Qty(LBS) 120.0000

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.							
We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.							
Reviewed by Authorized Castle Metals Representative:				Date: Name:			

Coastal Metals Inc

HEAT NUMBER

425382

MECHANICAL ID

4969

ITEM CODE

LOT NUMBER

173185

PO NUMBER

RECEIPT DATE

1-15-13

SUPPLIER

VH168444#

SPECIFICATION

110

LCS

COMMENT

APPROVED

AS

Acciaierie Valbruna S.p.A.



QUALITY MANAGEMENT SYSTEM
CERTIFIED BY LLOYD'S REGISTER

173185
W3

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.l.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cilente / Besteller/Purchaser/Clien
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Usine producer

Avviso di Spedizione: D-VI12020888
Lieferungsgepäckungss/B.L.

Ordine nr: 33241 173185 CASTLE
Bestell/Your order/Commande

Certificato nr: MEST222025/2012/
Prüfung/Test/Essai

Conferma ordine nr: EH12004377
Werkz/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice



Punzone del Collaudatore:
Stempel des Werkssachverständigen
Inspector's stamp/Pointon de l'essayeur

Stato di fornitura: Descaled Annealed Hot rolled
Lieferzustand/Delivery state/Etat de livraison

Tipo di Elaborazione: E+AOD
Erschmelzungsart/Melting process/Mode d'elaboration

Specifiche:
Anforderungen / Requirements / Exigences

3304-34 3 304 A
ASTM A262 2010 PRACTICE E

(D) SEC.II PT.A 2010 EDITION ADD. 2011a

AMS-QQ-S-783 B 304 A
ASTM A276 2010 S30400 A

ASME SA479 2010 S30400 A (D)
ASTM A479 2011 S30400 A

Qualità: T-304L #4969
Werkstoff/Grade/Numéro

Marca: AISI
Markenbezeichnung
Brand/Numéro

Tolleranza: ASTM A484-11 TABLE 5
Toleranz/Allowance/Tolerance

Punzonatura: 304
Kennzeichnung/Marking/Markage

Pos. nr. Pos. nr. Nº de poste	Oggetto Gegenstand Product description Déscrip. du produit	Dimensioni - in Abmessungen Dimension Dimension	Lunghezza - in Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0030	Flat	0,5000 x 0,2500	148 / 150	425382		1.993	114403711

TEST ALLO STATO DI FORNITURA										
Test on delivery condition Prüfung auf lieferbarem Produkt test a l'état de fourniture Prueba sobre el material así como entregado										
TEST	Provetta/Probestab Specimen/Especimen Long. diam. Sp. Thick. Wdh. Diam. Thickness Long. Diam. Sp. Thick. mm	° F	Posiz. Saggio Probenlage Lageprobe 1)	Snervamento Streckgrenze Yield Stress Limit élastique Rp 0,2% k.s.l.	Snervamento Streckgrenze Yield Stress Limit élastique	Resistenza Zugfestigkeit Tensile strength Résistance à traction Rm k.s.l.	Allungamento Bruchdehnung Elongation Allongement E 4d %	Strizione Einschnürung Reduction of area Striction RA %	Resilienza Kerbschlagenergie Impact Value Resilience	Durezza Härte Hardness Dureté
	Valori richiesti 1 Anforderungen/Required values Valeurs demandées	min max		30	-	75 115	- 40	- 50	-	-
A	12X6,3	68 L		39		82	59	69		

TEST	min	max
A Grain size for ASTM E112		5

1) L=longitudinale/längs, T=transversale/quer, Q= tangenziale/tangentiel

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Heat Schmelze/Coulée	min - max 0,080	1,00	2,00	16,00 20,00	1,00	1,00	8,00 10,50	0,045	0,030	0,100	-	-	-	-	-
C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	P %	S %	N %	-	-	-	-	-	-
425382	0,030	0,44	1,70	18,14	0,48	0,40	8,20	0,028	0,025	0,081					

Annealing temperature: 1940 °F for 0.5 h/water.

Intergranular corrosion test per ASTM A262 pract. E: ok.

Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été fourni conforme aux exigences

Controllo antimescolanza: OK
Verwechslungsprüfung: spektalanalytisch durchgeführt
Antislitting testing performed: OK
Contrôle antimélange fait: r.a.s.

Controllo visivo e dimensionale: soddisfatta le esigenze
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional check: satisfactory
Contrôle visuel et dimensionnel: satisfaisant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s. 4.3 by TUEV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Acciaierie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Vicenza, 06/07/12

VC0008
(Aut. MCE2)

Il collaudatore di stabilimento / der Werkssachverständige / Works Inspector / L'agent d'usine

M. Rizzotto

Pagina - 1 di 1

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577

OUTSTANDING PO REPRINT

Purchase Order ID PO19548

Purchase Order Date 4/11/2013

PO Print Date 5/28/2013

Page Number 1 of 1

Order From :

VC-MET001

METAUX CASTLE
A.M. CASTLE & CO. (CANADA) INC. - C/O 910720
P.O. BOX 4090 STN A
TORONTO, ON M5W OE9
CA

Contact Name
Vendor Phone 514 694 9575
Vendor Fax 514 695 3281
Vendor Account Nbr

Buyer Chantal Lavoie
Requisition Nbr
Tax Resale Nbr 10127-2607
Terms Net 30
Currency CAD
FOB Destination-Collect

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty	Unit Price	Extended Price
----------	--	------------------------	----------------------	---------	------------	----------------

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req. Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304B0.250x0.500	304 BAR .250 x .500	4/22/2013 Yes	276.00 f	FT Yours ppd ✓	\$2.4300	\$660.96

Special Inst: AISI 304/316 SS BAR OR AISI
304/316 SS PLATE
PER ASTM A276 OR ASTM A240
NOTE:(303 NOT ACCEPTABLE)

Line Total: \$660.96

Outstanding PO Total: \$660.96

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 2

Change Date: 4/25/2013

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required - YES NO